

Bibliography

Hip: Complex Understanding for Simple Solutions

Fitts, Paul Morris, and Michael I. Posner. "Human performance." (1967).

[J Sports Sci.](#) 2005 Jun;23(6):637-50.

Practice, instruction and skill acquisition in soccer: challenging tradition.

[Williams AM, Hodges NJ.](#)

[Phys Ther.](#) 2019 Jan 1;99(1):3-9. doi: 10.1093/ptj/pzy116.

Optimization of Movement: A Dynamical Systems Approach to Movement Systems as Emergent Phenomena.

[Guccione AA, Neville BT, George SZ.](#)

Newell KM. Constraints on the development of coordination. In: Wade MG, Whiting HTA, editors. Motor development in children: aspects of coordination and control. Dordrecht: Martinus Nijhoff, 1986: 341-60

[Sports Med.](#) 2003;33(4):245-60.

Movement systems as dynamical systems: the functional role of variability and its implications for sports medicine.

[Davids K, Glazier P, Araújo D, Bartlett R.](#)

[PLoS One.](#) 2014 Aug 20;9(8):e104744. doi: 10.1371/journal.pone.0104744. eCollection 2014.

Nonlinear pedagogy: an effective approach to cater for individual differences in learning a sports skill.

[Lee MC, Chow JY, Komar J, Tan CW, Button C.](#)

[Front Psychol.](#) 2012; 3: 458.

Self-Controlled Learning: The Importance of Protecting Perceptions of Competence.

[Chiviakowsky S, Wulf G, Lewthwaite R.](#)

[JAMA.](#) 2014 May 21;311(19):1987-97. doi: 10.1001/jama.2014.4591.

Effect of physical therapy on pain and function in patients with hip osteoarthritis: a randomized clinical trial.

[Bennell KL, Egerton T, Martin J, et al.](#)

[Am J Sports Med.](#) 2012 Dec;40(12):2720-4. doi: 10.1177/0363546512462124. Epub 2012 Oct 25.

Prevalence of abnormal hip findings in asymptomatic participants: a prospective, blinded study.

[Register B, Pennock AT, Ho CP, Strickland CD, Lawand A, Philippon MJ.](#)

[Am J Sports Med.](#) 2007 Sep;35(9):1571-80. Epub 2007 Apr 9.

Arthroscopic management of femoroacetabular impingement: osteoplasty technique and literature review.

[Philippon MJ, Stubbs AJ, Schenker ML, Maxwell RB, Ganz R, Leunig M.](#)

[Am J Sports Med.](#) 2012 Feb;40(2):367-75. doi: 10.1177/0363546511424390. Epub 2011 Oct 26.

Relationship between proximal femoral and acetabular alignment in normal hip joints using 3-D CT.

[Buller LT, Rosneck J, Monaco FM, Butler R, Smith T, Barsoum WK.](#)

[Arthroscopy](#). 2010 Aug;26(8):1118-29. doi: 10.1016/j.arthro.2010.01.027.

A clinically relevant review of hip biomechanics.

[Bowman KF Jr](#), [Fox J](#), [Sekiya JK](#).

[Sports Health](#). 2010 Jul;2(4):321-33.

Femoroacetabular impingement in athletes, part 1: cause and assessment.

[Byrd JW](#).

[Clin Orthop Relat Res](#). 2008 Feb; 466(2): 264–272.

The etiology of osteoarthritis of the hip: an integrated mechanical concept.

[Ganz R](#), [Leunig M](#), [Leunig-Ganz K](#), [Harris WH](#).

[Am J Sports Med](#). 2011 Apr;39(4):715-21. doi: 10.1177/0363546510388931. Epub 2011 Jan 13.

High prevalence of pelvic and hip magnetic resonance imaging findings in asymptomatic collegiate and professional hockey players.

[Silvis ML](#), [Mosher TJ](#), [Smetana BS](#), [Chinchilli VM](#), [Flemming DJ](#), [Walker EA](#), [Black KP](#).

[Arthroscopy](#). 2014 Oct;30(10):1222-8. doi: 10.1016/j.arthro.2014.04.100. Epub 2014 Jul 1.

Asymptomatic hip/groin pathology identified on magnetic resonance imaging of professional hockey players: outcomes and playing status at 4 years' follow-up.

[Gallo RA](#), [Silvis ML](#), [Smetana B](#), [Stuck D](#), [Lynch SA](#), [Mosher TJ](#), [Black KP](#).

[Am J Sports Med](#). 2012 Mar;40(3):584-8. doi: 10.1177/0363546511432711. Epub 2012 Feb 15.

The prevalence of radiographic hip abnormalities in elite soccer players.

[Gerhardt MB](#), [Romero AA](#), [Silvers HJ](#), [Harris DJ](#), [Watanabe D](#), [Mandelbaum BR](#).

[Arthroscopy](#). 2015 Jun;31(6):1199-204. doi: 10.1016/j.arthro.2014.11.042. Epub 2015 Jan 28.

Prevalence of Femoroacetabular Impingement Imaging Findings in Asymptomatic Volunteers: A Systematic Review.

[Frank JM](#), [Harris JD](#), [Erickson BJ](#), [Slikker W 3rd](#), [Bush-Joseph CA](#), [Salata MJ](#), [Nho SJ](#).

[Clin Orthop Relat Res](#). 2015 Aug;473(8):2578-86. doi: 10.1007/s11999-015-4222-0.

Femoroacetabular Impingement: Prevalent and Often Asymptomatic in Older Men: The Osteoporotic Fractures in Men Study.

[Nardo L](#), [Parimi N](#), [Liu F](#), [Lee S](#), [Jungmann PM](#), [Nevitt MC](#), [Link TM](#), [Lane NE](#).

[Arthroscopy](#). 2014 Jul;30(7):872-81. doi: 10.1016/j.arthro.2014.02.033. Epub 2014 Apr 18.

The hip-spine syndrome: how does back pain impact the indications and outcomes of hip arthroscopy?

[Redmond JM](#), [Gupta A](#), [Hammarstedt JE](#), [Stake CE](#), [Domb BG](#).

[Clin Sports Med](#). 2011 Apr;30(2):391-415. doi: 10.1016/j.csm.2010.12.009.

Soft tissue pathology around the hip.

[Ilizaliturri VM Jr](#), [Camacho-Galindo J](#), [Evia Ramirez AN](#), [Gonzalez Ibarra YL](#), [McMillan S](#), [Busconi BD](#).

[Am J Sports Med](#). 2007 May;35(5):770-9. Epub 2007 Mar 9.

Arthroscopic treatment of the painful "internal" snapping hip: results of a new endoscopic technique and imaging protocol.

[Flanum ME](#), [Keene JS](#), [Blankenbaker DG](#), [Desmet AA](#).

[Am J Sports Med](#). 2007 Jan;35(1):118-26. Epub 2006 Oct 4.

Clinical examination and ultrasound of self-reported snapping hip syndrome in elite ballet dancers.

[Winston P](#), [Awan R](#), [Cassidy JD](#), [Bleakney RK](#).

[Am J Sports Med.](#) 2011 Jul;39 Suppl:58S-63S. doi: 10.1177/0363546511412162.
Cross-sectional analysis of iliopsoas muscle-tendon units at the sites of arthroscopic tenotomies: an anatomic study.
[Blomberg JR](#), [Zellner BS](#), [Keene JS](#).

[Am J Sports Med.](#) 2011 Jul;39 Suppl:64S-71S. doi: 10.1177/0363546511414016.
Vascular safe zones in hip arthroscopy.
[McCormick F](#), [Kleweno CP](#), [Kim YJ](#), [Martin SD](#).

[Am J Sports Med.](#) 2011 Jul;39 Suppl:58S-63S. doi: 10.1177/0363546511412162.
Cross-sectional analysis of iliopsoas muscle-tendon units at the sites of arthroscopic tenotomies: an anatomic study.
[Blomberg JR](#), [Zellner BS](#), [Keene JS](#).

[Arthroscopy.](#) 2013 Aug;29(8):1308-13. doi: 10.1016/j.arthro.2013.05.002.
Regrowth of the psoas tendon after arthroscopic tenotomy: a magnetic resonance imaging study.
[Márquez Arabia WH](#), [Gómez-Hoyos J](#), [Llano Serna JF](#), et al.

[Br J Sports Med.](#) 1993 Mar; 27(1): 58-62.
The sports hernia: a cause of chronic groin pain.
[Hackney RG](#).

[Arthroscopy.](#) 2011 Jun;27(6):768-75. doi: 10.1016/j.arthro.2011.01.018.
Treatment of athletes with symptomatic intra-articular hip pathology and athletic pubalgia/sports hernia: a case series.
[Larson CM](#), [Pierce BR](#), [Giveans MR](#).

[Sports Med Arthrosc.](#) 2010 Jun;18(2):113-9. doi: 10.1097/JSA.0b013e3181e0b2ff.
Greater trochanteric pain syndrome.
[Strauss EJ](#), [Nho SJ](#), [Kelly BT](#).

[Anesth Analg.](#) 2009 May;108(5):1662-70. doi: 10.1213/ane.0b013e31819d6562.
Greater trochanteric pain syndrome: a review of anatomy, diagnosis and treatment.
[Williams BS](#), [Cohen SP](#).

[Am J Sports Med.](#) 2013 May;41(5):988-97. doi: 10.1177/0363546513481575. Epub 2013 Mar 22.
Outcomes of endoscopic gluteus medius repair with minimum 2-year follow-up.
[Domb BG](#), [Botser I](#), [Giordano BD](#).

[Br J Sports Med.](#) 2017 Jan;51(2):97-104. doi: 10.1136/bjsports-2015-095858. Epub 2016 Nov 10.
Conservative treatments for greater trochanteric pain syndrome: a systematic review.
[Barratt PA](#), [Brookes N](#), [Newson A](#).

[Arthroscopy.](#) 2010 Dec;26(12):1697-705. doi: 10.1016/j.arthro.2010.06.002. Epub 2010 Oct 15.
Partial-thickness tears of the gluteus medius: rationale and technique for trans-tendinous endoscopic repair.
[Domb BG](#), [Nasser RM](#), [Botser IB](#).

[Neurosurg Clin N Am.](#) 2008 Oct;19(4):597-608, vi-vii. doi: 10.1016/j.nec.2008.07.001.
Controversial entrapment neuropathies.
[Campbell WW](#), [Landau ME](#).

[J Bone Joint Surg Am.](#) 1999 Jul;81(7):941-9.

Posttraumatic piriformis syndrome: diagnosis and results of operative treatment.

[Benson ER, Schutzer SF.](#)

[Br J Sports Med.](#) 2016 Oct;50(19):1169-76. doi: 10.1136/bjsports-2016-096743.

The Warwick Agreement on femoroacetabular impingement syndrome (FAI syndrome): an international consensus statement.

[Griffin DR, Dickenson EJ, O'Donnell J, et al.](#)

[J Orthop Surg Res.](#) 2016 Nov 15;11(1):140.

A retrospective analysis on the correlation between hip pain, physical examination findings, and alpha angle on MR images.

[Guler O, Isyar M, Karataş D, Ormeci T, Cerci H, Mahirogulları M.](#)

[Arthroscopy.](#) 2010 Feb;26(2):161-72. doi: 10.1016/j.arthro.2009.07.015.

The pattern and technique in the clinical evaluation of the adult hip: the common physical examination tests of hip specialists.

[Martin HD, Kelly BT, Leung M, Philippon MJ, Clohisy JC, Martin RL, Sekiya JK, Pietrobon R, Mohtadi NG, Sampson TG, Safran MR.](#)

[Acta Orthop.](#) 2012 Jun;83(3):233-9. doi: 10.3109/17453674.2012.684138. Epub 2012 May 4.

Correlation between radiographic measures of acetabular morphology with 3D femoral head coverage in patients with acetabular retroversion.

[Hansen BJ, Harris MD, Anderson LA, Peters CL, Weiss JA, Anderson AE.](#)

[J Bone Joint Surg Br.](#) 2002 May;84(4):556-60.

The contour of the femoral head-neck junction as a predictor for the risk of anterior impingement.

[Nötzli HP, Wyss TF, Stoecklin CH, Schmid MR, Treiber K, Hodler J.](#)

[Sports Health.](#) 2010 Jul;2(4):321-33.

Femoroacetabular impingement in athletes, part 1: cause and assessment.

[Byrd JW.](#)

[Arthroscopy.](#) 2011 May;27(5):619-27. doi: 10.1016/j.arthro.2010.12.009.

Response to diagnostic injection in patients with femoroacetabular impingement, labral tears, chondral lesions, and extra-articular pathology.

[Kivlan BR, Martin RL, Sekiya JK.](#)

[Scand J Med Sci Sports.](#) 2005 Feb;15(1):36-42.

Description of pain provocation tests used for the diagnosis of sports-related chronic groin pain: relationship of tests to defined clinical (pain and tenderness) and MRI (pubic bone marrow oedema) criteria.

[Verrall GM, Slavotinek JP, Barnes PG, Fon GT.](#)

[PLoS One.](#) 2014 Mar 12;9(3):e91560. doi: 10.1371/journal.pone.0091560.

The Hip Lag Sign--prospective blinded trial of a new clinical sign to predict hip abductor damage.

[Kaltenborn A, Bourg CM, Gutzeit A, Kalberer F.](#)

[Am J Sports Med.](#) 2016 Mar;44(3):696-701. doi: 10.1177/0363546515621762. Epub 2016 Jan 11.

An Anatomic Investigation of the Ober Test.

[Willett GM, Keim SA, Shostrom VK, Lomneth CS.](#)

[Am J Sports Med.](#) 2011 Jul;39 Suppl:7S-13S. doi: 10.1177/0363546511404144.
Arthroscopic management of femoroacetabular impingement in athletes.
[Byrd JW](#), [Jones KS](#).

[Am J Sports Med.](#) 2014 Aug;42(8):1785-90. doi: 10.1177/0363546514534181. Epub 2014 May 29.
Arthroscopic Hip Revision Surgery for Residual Femoroacetabular Impingement (FAI): Surgical Outcomes Compared With a Matched Cohort After Primary Arthroscopic FAI Correction.
[Larson CM](#), [Giveans MR](#), [Samuelson KM](#), [Stone RM](#), [Bedi A](#).

[Arthroscopy.](#) 2013 Sep;29(9):1579-88. doi: 10.1016/j.arthro.2013.05.027.
Evidence-based status of microfracture technique: a systematic review of level I and II studies.
[Goyal D](#), [Keyhani S](#), [Lee EH](#), [Hui JH](#).

[J Bone Joint Surg Am.](#) 2017 Apr 19;99(8):648-655. doi: 10.2106/JBJS.16.00674.
Formal Physical Therapy After Total Hip Arthroplasty Is Not Required: A Randomized Controlled Trial.
[Austin MS](#), [Urbani BT](#), [Fleischman AN](#), [Fernando ND](#), [Purtill JJ](#), [Hozack WJ](#), [Parvizi J](#), [Rothman RH](#).

[Clin Rehabil.](#) 2016 Apr;30(4):329-39. doi: 10.1177/0269215515579421. Epub 2015 Mar 31.
Do lifestyle restrictions and precautions prevent dislocation after total hip arthroplasty? A systematic review and meta-analysis of the literature.
[van der Weegen W](#), [Kornuijt A](#), [Das D](#).

[Arthroscopy.](#) 2017 Nov;33(11):1998-2005. doi: 10.1016/j.arthro.2017.06.045. Epub 2017 Sep 29.
Variability and Comprehensiveness of North American Online Available Physical Therapy Protocols Following Hip Arthroscopy for Femoroacetabular Impingement and Labral Repair.
[Cvetanovich GL](#), [Lizzio V](#), [Meta F](#), [Chan D](#), [Zaltz I](#), [Nho SJ](#), [Makhni EC](#).

[J Biomech.](#) Author manuscript; available in PMC 2012 Aug 11.
Role of the Acetabular Labrum in Load Support Across the Hip Joint.
[Henak CRk](#), [Ellis BJ](#), [Harris MD](#), [Anderson AE](#), [Peters CL](#), [Weiss JA](#).

[Am J Sports Med.](#) 2012 Sep;40(9):2002-8. doi: 10.1177/0363546512456011. Epub 2012 Aug 20.
Influence of resection geometry on fracture risk in the treatment of femoroacetabular impingement: a finite element study.
[Rothenfluh E](#), [Zingg P](#), [Dora C](#), [Snedeker JG](#), [Favre P](#).

[Am J Sports Med.](#) 2011 Aug;39(8):1777-85. doi: 10.1177/0363546511406848. Epub 2011 May 12.
Rehabilitation exercise progression for the gluteus medius muscle with consideration for iliopsoas tendinitis: an in vivo electromyography study.
[Philippon MJ](#), [Decker MJ](#), [Giphart JE](#), [Torry MR](#), [Wahoff MS](#), [LaPrade RF](#).

[PM R.](#) 2013 May;5(5):418-26. doi: 10.1016/j.pmrj.2013.02.005. Epub 2013 Feb 16.
Nonoperative treatment for femoroacetabular impingement: a systematic review of the literature.
[Wall PD](#), [Fernandez M](#), [Griffin DR](#), [Foster NE](#).

[BMJ.](#) 2019 Feb 7;364:l185. doi: 10.1136/bmj.l185.
Arthroscopic hip surgery compared with physiotherapy and activity modification for the treatment of symptomatic femoroacetabular impingement: multicentre randomised controlled trial.
[Palmer AJR](#), [Ayyar Gupta V](#), [Fernquest S](#), [Rombach I](#), [Dutton SJ](#), [Mansour R](#), [Wood S](#), [Khanduja V](#), [Pollard TCB](#), [McCaskie AW](#), [Barker KL](#), [Andrade TJMD](#), [Carr AJ](#), [Beard DJ](#), [Glyn-Jones S](#); FAIT Study Group.

[J Sci Med Sport](#). 2016 Sep;19(9):696-701. doi: 10.1016/j.jsams.2015.10.002. Epub 2015 Oct 22.
Isometric and isokinetic hip strength and agonist/antagonist ratios in symptomatic femoroacetabular impingement.

[Diamond LE](#), [Wrigley TV](#), [Hinman RS](#), [Hodges PW](#), [O'Donnell J](#), [Takla A](#), [Bennell KL](#).

[Arthroscopy](#). 2015 Nov;31(11):2106-11. doi: 10.1016/j.arthro.2015.04.095. Epub 2015 Jun 20.
Hip Strength Deficits in Patients With Symptomatic Femoroacetabular Impingement and Labral Tears.

[Nepple JJ](#), [Goljan P](#), [Briggs KK](#), [Garvey SE](#), [Ryan M](#), [Philippon MJ](#).

[J Pain](#). 2012 Dec;13(12):1139-50. doi: 10.1016/j.jpain.2012.09.006. Epub 2012 Nov 8.

A meta-analytic review of the hypoalgesic effects of exercise.

[Naugle KM](#), [Fillingim RB](#), [Riley JL 3rd](#).

[Am J Sports Med](#). 2015 Jul;43(7):1704-11. doi: 10.1177/0363546515584760. Epub 2015 May 27.
Heavy Slow Resistance Versus Eccentric Training as Treatment for Achilles Tendinopathy: A Randomized Controlled Trial.

[Beyer R](#), [Kongsgaard M](#), [Hougs Kjær B](#), [Øhlenschläger T](#), [Kjær M](#), [Magnusson SP](#).

[Clin J Sport Med](#). 2018 Aug 8. doi: 10.1097/JSM.0000000000000625. [Epub ahead of print]
Immediate and Short-Term Effects of Short- and Long-Duration Isometric Contractions in Patellar Tendinopathy.

[Pearson SJ](#), [Stadler S](#), [Menz H](#), [Morrissey D](#), [Scott I](#), [Munteanu S](#), [Malliaras P](#).

[J Womens Health \(Larchmt\)](#). 2018 Jun;27(6):815-829. doi: 10.1089/jwh.2017.6729. Epub 2018 May 1.
Gluteal Loading Versus Sham Exercises to Improve Pain and Dysfunction in Postmenopausal Women with Greater Trochanteric Pain Syndrome: A Randomized Controlled Trial.

[Ganderton C](#), [Semciw A](#), [Cook J](#), [Moreira E](#), [Pizzari T](#).

[Am J Sports Med](#). 1979 Nov-Dec;7(6):336-7.

Knee rehabilitation by the daily adjustable progressive resistive exercise technique.

[Knight KL](#).